



# Safety Data Sheet

Issuing Date 19-May-2015

Revision Date 19-May-2015

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier**

**Product name** Duraflow Synthetic GL-5 LS 75W-90

**Other means of identification**

**Product Code(s)** 5000

**Synonyms** No information available

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Gear Oil, Lubricant.

**Uses advised against** All Other Uses

**Details of the supplier of the safety data sheet**

**Distributor**

Valor Oil LLC  
1200 Alsop Lane  
Owensboro, KY 42303  
800-544-5823

**Emergency telephone number**

**Emergency telephone number** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

**Classification**

**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1

**Label elements**

### EMERGENCY OVERVIEW

**WARNING**

**Hazard statements**

Harmful if inhaled  
May cause an allergic skin reaction

**Appearance** Amber colored liquid**Physical state** viscous liquid**Odor** Mild petroleum odor Mild sulfur odor**Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Contaminated work clothing should not be allowed out of the workplace  
 Wear protective gloves

**Precautionary Statements - Response**

Specific treatment (see supplemental first aid instruction on this label)  
 IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation or rash occurs: Get medical advice/attention  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information**

- May be harmful in contact with skin
- Harmful to aquatic life with long lasting effects
- Harmful to aquatic life

Unknown Aquatic Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Common Name** Synthetic hydrocarbon lubricating fluid.  
**Chemical Family** Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	56.83	*
Residual Oils (petroleum), solvent-dewaxed	64742-62-7	0-40	*
Poly long-chain alkyl methacrylate	Proprietary	1.26-2.1	*
Long-chain alkyl amine	Proprietary	0.26-0.52	*
Long-chain alkenyl amine	Proprietary	0.05-0.26	*
Alkyl Phosphonate	Proprietary	0.05-0.26	*
Alkoxylated long-chain alkanol borate	Proprietary	0.12-0.24	*
Long-chain alkyl amine	Proprietary	0.04-0.18	*
Long-chain alkyl amine	Proprietary	0.02-0.12	*
Alkyl dithio thiadiazole	Proprietary	0.02-0.12	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures**

<b>General advice</b>	No hazards which require special first aid measures.
<b>Eye contact</b>	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.
<b>Skin contact</b>	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.
<b>Inhalation</b>	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.
<b>Ingestion</b>	Do NOT induce vomiting. Consult a physician.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

**Small Fires** Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.

**Large Fires** Contact emergency personnel.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

Combustible material.

**Hazardous combustion products** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal protection** Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.

**For emergency responders** Clean up area with absorbent material and place in closed containers for disposal. Ventilate the area.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.
<b>Methods for cleaning up</b>	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

<b>Advice on safe handling</b>	Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.
--------------------------------	--

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidelines for storage of material for amount stored.
<b>Incompatible Products</b>	Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

<b>Exposure guidelines</b>	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
----------------------------	---

### Appropriate engineering controls

<b>Engineering Controls</b>	Showers Eyewash stations Ventilation systems.
-----------------------------	---

### Individual protection measures, such as personal protective equipment

<b>Eye/face Protection</b>	If splashes are likely to occur, wear: Goggles. Eye/face Protection.
<b>Skin and body protection</b>	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.
<b>Respiratory protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
<b>General Hygiene Considerations</b>	Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	viscous liquid	<b>Odor</b>	Mild petroleum odor Mild sulfur odor
<b>Appearance</b>	Amber colored liquid	<b>Odor threshold</b>	No information available
<b>Color</b>	amber		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point/freezing point	No information available	
Boiling Point/Range	No information available	
Flash point	> 93.3 °C / > 200 °F	Based on similar products.
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific gravity	0.87	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature		
Decomposition temperature	No information available	
Kinematic viscosity	110-120 @40C mm <sup>2</sup> /s	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
<u>Other information</u>		
Softening point	No information available	
VOC Content	No information available	
Density	No information available	
Bulk density	No information available	

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous polymerization**      Hazardous polymerization does not occur.

### Conditions to avoid

Excessive heat. High energy sources of ignition.

### Incompatible materials

Strong oxidizing agents.

### Hazardous decomposition products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Product Information</b>	No data available
<b>Inhalation</b>	Inhalation of vapors in high concentration may cause irritation of respiratory system. May be harmful if inhaled.
<b>Eye contact</b>	Avoid contact with eyes. May cause irritation.
<b>Skin contact</b>	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.

**Ingestion**

Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h
Long-chain alkyl amine	612 mg/kg ( Rat )	251 mg/kg ( Rat )	157 ppm ( Rat ) 4h
Long-chain alkenyl amine	1689 mg/kg ( Rat )	-	-
Alkyl Phosphonate	3200 mg/kg ( Rat )	1990 mg/kg ( Rabbit )	-
Long-chain alkyl amine	612 mg/kg ( Rat )	251 mg/kg ( Rat )	-
Long-chain alkyl amine	612 mg/kg ( Rat )	251 mg/kg ( Rat )	157 ppm ( Rat )

**Information on toxicological effects****Symptoms**

No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Sensitization**

May cause sensitization by skin contact.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests. .

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	-	X
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	Group 1	-	X

**Reproductive toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Aspiration hazard**

No information available.

**Numerical measures of toxicity - Product Information****Unknown Aquatic Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	5287 mg/kg
ATEmix (dermal)	2983 mg/kg
ATEmix (inhalation-gas)	17018 ppm

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life

Harmful to aquatic life with long lasting effects

3.28% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
---------------	----------------------	------	-----------

Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Other adverse effects**

No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods****Waste Disposal Method**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

### 14. TRANSPORT INFORMATION

**DOT**

Not regulated

**IATA**

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

### 15. REGULATORY INFORMATION

**International Inventories**

<b>TSCA</b>	Does not comply
<b>DSL/NDSL</b>	Does not comply
<b>EINECS/ELINCS</b>	Does not comply
<b>ENCS</b>	Does not comply
<b>IECSC</b>	Does not comply
<b>KECL</b>	Does not comply
<b>PICCS</b>	Does not comply
<b>AICS</b>	Does not comply

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals: 2-Propenoic Acid, Ethyl Ester

**U.S. State Right-to-Know Regulations****U.S. EPA Label Information**

EPA Pesticide registration number Not Applicable

<b>16. OTHER INFORMATION</b>
------------------------------

<b><u>NFPA</u></b>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
<b><u>HMIS</u></b>	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X

Issuing Date 19-May-2015

Revision Date 19-May-2015

Revision Note

Initial Release

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**